



## EC09 - Lincat Electric Counter-top Convection Oven - W 766 mm - 7.5 kW

Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- ✓ The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- ✓ Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace.
- ✓ Robust stainless steel construction

### Specifications

Summary		Power and Performance	
<b>Range Name</b>	Lincat	<b>Gastronorm Capacity</b>	4 x GN1/1
<b>Power Type</b>	Electric	<b>Total Power kW</b>	7.5
<b>Unit Type</b>	Counter-top	<b>Temperature Range °C</b>	50 - 300
<b>Available in UK Only</b>	No	<b>IP Rating</b>	IP23
<b>UK Warranty</b>	2 Years Parts and Labour Warranty	<b>Temperature Control</b>	Mechanical
<b>Export Warranty</b>	Contact your local dealer	<b>Oven Rating kW</b>	7.5
<b>GTIN Code</b>	5056105101680		

Key Specifications		Weights and Dimensions	
<b>Capacity Litres</b>	170.0	<b>Unit Height (External) mm</b>	652
<b>Number of Shelves included</b>	4	<b>Unit Width (External) mm</b>	766
<b>Number of Shelf Positions</b>	4	<b>Unit Depth (External) mm</b>	840
		<b>Height (Internal) mm</b>	510
		<b>Width (Internal) mm</b>	480
		<b>Depth (Internal) mm</b>	700
		<b>Shelf Dimensions Width mm</b>	530
		<b>Shelf Dimensions Depth mm</b>	325
		<b>Net Weight Kg</b>	95.9

### Supply Connections

<b>Requires Installation</b>	Yes
<b>Requires Electrical Supply</b>	Yes
<b>UK 3 Pin Plug</b>	No
<b>Requires Hardwiring</b>	Yes
<b>Electrical Supply Rating Watts</b>	7,500
<b>Single Phase Amps</b>	32.6
<b>Single Phase Voltage</b>	230
<b>Three Phase Amps</b>	L1=6.7 ; L2=13.0 ; L3=13.0
<b>Three Phase Voltage</b>	400
<b>Water Connection BSPT</b>	3/4"
<b>Water Connection Pressure Bar</b>	0.2 - 10.0




### Shipping

<b>Packed Weight Kg</b>	100.6
<b>Packed Height cm</b>	73
<b>Packed Width cm</b>	94.5
<b>Packed Depth cm</b>	90

### Available Accessories

<b>EC09/FS</b>	EC09 FLOORSTAND
<b>EC09/FSBT</b>	EC09 FLOORSTAND FOR BAKING TRAYS
<b>EC09/LFS</b>	EC09 LOW FLOORSTAND
<b>EC09/SK</b>	EC09 STACKING KIT

### Technical Picture



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 503250  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm